: entering the future





advanced home automation control and video intercom in a single touch device




: entering the future



Introducing our range of KNX[®] touch screens with integrated WEB server and SIP support...

They can act as a video intercom device when connected to a network with a third-party SIP outdoor unit, offering call forwarding to cell phones.

The WEB server is built-in for remote control of the installation from free Ingenium APPs for iOS or Android.







A standard connector on the back provides communication with the KNX^{\otimes} protocol home automation system. Another AUX for power.

↔ wifi) Ethernet

Ethernet 2 KNX Ethernet 1 KNX

WiFi connection + Ethernet (optional) with 1 or 2 RJ45 ports.



versatility in visualization and protocols

The touch screen offers visualizations by plans or rooms, with a very intuitive and configurable interface, supporting yearly timings, technical alarms and push notifications.

It has integration in protocols such as ZWave, Zigbee/CHIP/Matter, KNX, BUSing, etc. IFTTT Support, and MQTT Broker. Possibility of configuration as a Modbus client or server, and Python programming for advanced user scripting.

connectivity, screen sizes and color options

Different network interfaces (WiFi, WiFi+1RJ45, WiFi+2RJ45) to choose between 7" and 10" screen sizes, WHITE or BLACK front glass* frame and back casing.

*Custom printing of the front glass as an option.

outdoor panels compatibility

SIP support for video door entry solutions, with full compatibility with the SIP outdoor panels of the main manufacturers.

concierge control

A version ready for concierge control is available, with a specifically designed interface system.



Compatible with the SIP outdoor panels of the main manufacturers...

ADATIS Akuvox Ø bas IP **«**Comelit ∀ DoorBird [SN] R⁄IBIN **T()** Yealink



PARQUE TECNOLÓGICO DE ASTURIAS Parcela 50 33428 Llanera Asturias - Spain

tel (+34) 985 118 859

export@besknx.com

www.besknx.com









