



FT600VK / FT600VKK  
VIDEOKITS

## VIDEOKITS

# FT600VK & FT600VKK


Looking for a classy product and yet very budget-friendly?

The FT600VK and FT600VKK video kit offers both.

Its price will surprise you, but make no mistake.

The finish of the outpost is and remains a real Fasttel: beautiful black anodized aluminum finished with real glass!

Plastic doesn't stand a chance again.



## SPECIFICATIONS

1. The 140° camera is very subtly concealed so that the visitor does not feel spied on and vandalism is not attracted.
2. The volume of the microphone can be adjusted independently of that of the loudspeaker.
3. A light sensor switches the camera to a perfect black and white night image in the dark.
4. With 4 anti-vandal screws, the outdoor station is firmly fixed.
5. With the optional keyboard 2 relays can be controlled.
6. The very powerful loudspeaker is adjustable in several steps.
7. The frame is made of brushed aluminum and glass.



## DIMENSIONS

The outdoor stations can be installed flush or surface mounted and this with 1 and the same frame.

### Total size:

216 x 116 x 31 mm (HxWxD)

### Recess to be provided for flush mounted model:

202 x 102 x 31 mm (HxWxD)



### FT600BUS

This module allows you to choose between built-in or surface-mounted. Delivered by default.



### FT600HW

Hollow wall accessory. (e.g. gate style)

## THE KIT FT600VK AND FT600VKK EACH CONSIST OF:




+



+



+



OUTDOOR UNIT  
FT600VC of FT600KVC

FT600W

7"inch video monitor  
(cat 5 POE or 12V wifi)

FT600SW

POE switch  
4 connections

FT600LIC4

4 licenses  
android/ IOS Apple

## UNIQUE FEATURES

- 100% Plug & Play: absolutely no programming required!
- Also not for the apps: scan the QR code and you're done. No need to create an account(s) We respect your privacy.
- Both flush and surface mounting. Choose during installation!
- Only low cost kit with keypad.
- The outdoor unit is for a 100% made of aluminum and tempered glass. 0% plastic.
- Create access codes via the app from anywhere in the world: Set whether the code is valid once, for an hour, day, week or permanent.
- Integration with an external SIP server by license FT600UPGR: Integrate the door phone in your own SIP server. When you ring the doorbell, the door phone will call both our cloud (indoor unit + 4 apps) and the local telephones.
- Unlimited expandability.

**fasttel**

Door Entry Systems

**DLOFT**

Dloft Home Automation

Tel./ Phone: +351 912 518 050 Fax: + 351 229 485 164

Zona Industrial da Maia I - Sector VII

Rua de Joaquim Silva Vicente - Lote 147 4470-434 Maia - Portugal

[info@dloft.com.pt](mailto:info@dloft.com.pt) | [www.dloft.com.pt](http://www.dloft.com.pt)